

**Actualization of the
“Catalogue of the genus *Lejeunea* Lib. (Hepaticae) of Latin America”**

M. Elena Reiner-Drehwald
Department of Systematic Botany, Albrecht von Haller Institute of Plant Sciences,
University of Göttingen, Untere Karspüle 2, 37073 Göttingen, Germany
email: mreiner@uni-goettingen.de

(Last changes: 9 Aug 2004)

Since the appearance of the “Catalogue of the genus *Lejeunea* Lib. (Hepaticae) of Latin America” (Reiner-Drehwald 1999, Bryophytorum Bibliotheca 54: 1-101), many new publications dealing with the genus and other members of the Lejeuneaceae have been published. One of the aims of this list is to bring up to date the status of *Lejeunea* species by citing the new references.

The format of this list follows basically the previous catalogue.

- Species and infraspecific taxa described under *Lejeunea* are listed in alphabetical order. Bibliographic references for *Lejeunea* species are cited only for taxa neither included in the Index Hepaticarum (Geissler & Bischler 1987) nor in the mentioned catalogue (Reiner-Drehwald 1999).
- Accepted names are in **boldface**.
- Origin: countries of origin of the “type” or “original material” (invalid names) of the taxon are cited.
- Reference: selected references where species descriptions or comments are given are cited here. This section does not attempt to be complete and will be actualized in the future.

The major difference to the previous catalogue is the geographical area covered. While the first catalogue included species whose type material come from Am 2 to Am 6 (Mexico and West Indies to Chile and Argentina; as defined in the Index Muscorum), this list will also include in the future Am 1 (N. America, Bermudas), and those species whose type material come from Europa and Africa and are known to occur in America. A few species of this regions are already cited. For Europe and Macaronesia the check-list by Grolle & Long (2000) and for Africa (Afr 2 – 4) the catalogues of Grolle (1995), Wigginton & Grolle (supplemented by A.Gyarmati, 1996) and Wigginton (2002) should be consulted.

The alphabetical lists of *Lejeunea* species are therefore separated according to the origin of their types in: America, Europe, Africa.

Acknowledgements: to the Deutsche Forschungsgemeinschaft for financial support (DFG RE 1348/4-1).

AMERICA

Lejeunea acanthogona Spruce 1884

Origin: Ecuador.

Ref.: Reiner-Drehwald & Goda 2000: 4.

Lejeunea amazonica Steph. 1890, nom. illeg. → ***Ceratolejeunea cubensis*** (Mont.) Schiffn. 1893

Origin: Surinam.

Ref.: Dauphin 2003 a: 49.

Lejeunea anomala Lindenb. & Gottsche 1852

Origin: Surinam.

Ref.: Reiner-Drehwald 2003: 156; Dauphin 2003 a: 80 (belongs to *Lejeunea* or *Taxilejeunea*).

Lejeunea aquarius Spruce 1884 → ***Xylolejeunea aquarius*** (Spruce) X.-L.He & Grolle 2001

Origin: Venezuela.

Ref.: He & Grolle 2001: 29; He 2003: 196.

Lejeunea asperrima Spruce 1884 → ***Echinocolea asperrima*** (Spruce) R.M.Schust. 1963

Origin: Brazil.

Ref.: Gradstein & Costa 2003: 148.

Lejeunea autoica R.M.Schust. 1962 → cf. ***Lejeunea filipes*** Spruce 1884

Origin: U.S.A.

Ref.: Reiner-Drehwald 2000 a: 86.

Lejeunea bermudiana (A.Evans) R.M.Schust. 1980

Origin: Bermuda.

Ref.: Reiner-Drehwald & Goda 2000: 7; Reiner-Drehwald 2003: 156.

Lejeunea boliviensis (Steph.) R.L.Zhu & E.Reiner (The Bryologist 107: 237. 2004)

Bas.: *Strepsilejeunea boliviensis* Steph. 1916

Origin: Bolivia.

Ref.: Zhu & Reiner-Drehwald 2004: 237.

Lejeunea boryana Mont. 1838

Origin: Lesser Antilles: Dominica.

Ref.: Reiner-Drehwald & Goda 2000: 9; Reiner-Drehwald 2003: 157.

Lejeunea boryana var. *concinna* Spruce 1884 → ***Lejeunea boryana*** Mont. 1838

Origin: Brazil.

Ref.: Reiner-Drehwald & Goda 2000: 9.

Lejeunea brasiliensis Gottsche 1845 → ***Ceratolejeunea fallax*** (Lehm. & Lindenb.)

Bonner 1953

Origin: Brazil.

Ref.: Dauphin 2003 a: 56.

Lejeunea brasiliensis var. δ *minor* in Gottsche, Lindenb. & Nees 1847 →

Ceratolejeunea cornuta (Lindenb.) Steph. 1895

Origin: Mexico.

Ref.: Dauphin 2003 a: 44.

Lejeunea brevinervis Spruce 1895 → ***Ceratolejeunea brevinervis*** (Spruce) A.Evans 1905

Origin: Lesser Antilles: Guadeloupe.

Ref.: Dauphin 2003 a: 33.

Lejeunea brittoniae (A.Evans) Grolle 1995 → ***Lejeunea phyllobola*** Nees & Mont. 1842

Origin: Bahamas.

Ref.: Reiner-Drehwald 2000 a: 103.

Lejeunea caducifolia Spruce 1884 → ***Ceratolejeunea laete-fusca*** (Aust.)

R.M.Schust. 1956

Origin: Brazil.

Ref.: Dauphin 2003 a: 61.

Lejeunea cancellata Nees & Mont. ex Mont. 1842

Origin: Cuba.

Ref.: Reiner-Drehwald 2000 a: 84; Reiner-Drehwald 2003: 158.

Lejeunea caulicalyx (Steph.) E.Reiner & Goda (J. Hattori Bot. Lab. 89: 13. 2000)

Bas.: *Crossotolejeunea caulicalyx* Steph. 1913

Origin: Cuba.

Ref.: Reiner-Drehwald & Goda 2000: 13.

Lejeunea cephalandra Spruce 1890 → ***Lejeunea phyllobola*** Nees & Mont. 1842

Origin: Paraguay.

Ref.: Reiner-Drehwald 2000 a: 103.

Lejeunea ceratantha Nees & Mont. ex Mont. 1840 → ***Ceratolejeunea ceratantha***

(Nees & Mont.) Schiffn. 1897

Origin: French Guiana.

Ref.: Dauphin 2003 a: 33.

Lejeunea ceratantha var. *poepigiana* Nees in Gottsche, Lindenb. & Nees 1845 →

Ceratolejeunea ceratantha (Nees & Mont.) Schiffn. 1897

Origin: Brazil.

Ref.: Dauphin 2003 a: 35.

Lejeunea cerina (Lehm. & Lindenb.) Gottsche, Lindenb. & Nees 1845

Origin: Brazil.

Ref.: Reiner-Drehwald 2003: 158.

Lejeunea cladobola Spruce 1884 → ***Lejeunea lepida*** Lindenb. & Gottsche 1847

Origin: Ecuador.

Ref.: Reiner-Drehwald 2000 a: 98.

Lejeunea coarina Gottsche 1845 → ***Ceratolejeunea coarina*** (Gottsche) Schiffn. 1893
 Origin: Brazil.
 Ref.: Dauphin 2003 a: 37.

Lejeunea commixta Spruce 1884 → ***Ceratolejeunea cubensis*** (Mont.) Schiffn. 1893
 Origin: Peru.
 Ref.: Dauphin 2003 a: 49.

Lejeunea controversa Gottsche 1873
 Origin: Lesser Antilles: Guadeloupe.
 Ref.: Reiner-Drehwald & Goda 2000: 13; Reiner-Drehwald 2003: 158.

Lejeunea cornuta (Lindenb.) Nees 1838 → ***Ceratolejeunea cornuta*** (Lindenb.) Steph. 1895
 Origin: Jamaica.
 Ref.: Dauphin 2003 a: 42.

Lejeunea crenata Nees & Mont. 1838 → ***Xylolejeunea crenata*** (Nees & Mont.) X.-L. He & Grolle 2001
 Origin: French Guiana.
 Ref.: He & Grolle 2001: 36; Reiner-Drehwald & Goda 2000: 49; He 2003: 196.

Lejeunea cristatella (Gottsche ex Steph.) A.Lücking 1995, nom. inval. → ***Lejeunea acanthogona*** Spruce 1884
 Origin: Venezuela.
 Ref.: Reiner-Drehwald & Goda 2000: 5.

Lejeunea cristulaeflora (Gottsche ex Steph.) E.Reiner & Goda (J. Hattori Bot. Lab. 89: 19. 2000)
 Origin: Brazil.
 Ref.: Reiner-Drehwald & Goda 2000: 19; Reiner-Drehwald 2003: 158.

Lejeunea cristulata (Steph.) E.Reiner & Goda (J. Hattori Bot. Lab. 89: 21. 2000)
 Origin: Brazil.
 Ref.: Reiner-Drehwald & Goda 2000: 21; Reiner-Drehwald 2003: 158.

Lejeunea cubensis Mont. 1842 → ***Ceratolejeunea cubensis*** (Mont.) Schiffn. 1893
 Origin: Cuba.
 Ref.: Dauphin 2003 a: 48.

Lejeunea desciscens Sande Lac. 1856 → ***Ceratolejeunea desciscens*** (Sande Lac.) Schiffn. 1893
 Origin: Surinam.
 Ref.: Dauphin 2003 a: 24.

Lejeunea elliotii Spruce 1895
 Origin: Lesser Antilles: St. Vincent.
 Ref.: Reiner-Drehwald & Goda 2000: 23.

Lejeunea erostrata E.Reiner & Goda (J. Hattori Bot. Lab. 89: 25. 2000)
 Replaced synonym: *Crossotolejeunea parva* Steph. 1913
 Origin: Brazil.
 Ref.: Reiner-Drehwald & Goda 2000: 25; Reiner-Drehwald 2003: 158.

Lejeunea fallax (Lehm. & Lindenb.) Gottsche, Lindenb. & Nees 1845 →
Ceratolejeunea fallax (Lehm. & Lindenb.) Bonner 1953
 Origin: Brazil.
 Ref.: Dauphin 2003 a: 56.

Lejeunea fastigiata Spruce 1890 → ***Ceratolejeunea filaria*** (Taylor ex Lehm.) Steph.
 1913
 Origin: Bolivia.
 Ref.: Dauphin 2003 a: 59.

Lejeunea filaria Taylor ex Lehm. 1844 → ***Ceratolejeunea filaria*** (Taylor ex Lehm.)
 Steph. 1913
 Origin: Venezuela.
 Ref.: Dauphin 2003 a: 59.

Lejeunea filipes Spruce 1884
 Origin: Peru.
 Ref.: Reiner-Drehwald 2000 a: 86.

Lejeunea flava (Sw.) Nees 1838
 Origin: Jamaica
 Ref.: Reiner-Drehwald 2000 a: 88; Reiner-Drehwald 2003: 158.

Lejeunea fuliginosa Spruce 1884 → ***Ceratolejeunea cornuta*** (Lindenb.) Steph.
 1895
 Origin: Brazil.
 Ref.: Dauphin 2003 a: 42.

Lejeunea funckiana Nees 1838 → ***Lejeunea boryana*** Mont. 1838
 Origin: Surinam.
 Ref.: Reiner-Drehwald & Goda 2000: 11.

Lejeunea geophila Spruce 1890 → ***Lejeunea laeta*** (Lehm. & Lindenb.) Gottsche,
 Lindenb. & Nees 1845
 Origin: Brazil.
 Ref.: Reiner-Drehwald 2000 a: 91; Reiner-Drehwald 2003: 160.

Lejeunea glaucescens Gottsche 1845
 Origin: Brazil.
 Ref.: Reiner-Drehwald 2003: 158.

Lejeunea graminicolor Spruce 1895 → cf. ***Taxilejeunea graminicolor*** (Spruce)
 Steph. 1914
 Origin: Lesser Antilles: St. Vincent.
 Ref.: Dauphin 2003 a: 81 (notes on the type).

Lejeunea grossiretis (Steph.) E.Reiner & Goda (J. Hattori Bot. Lab. 89: 27. 2000)
 Bas.: *Crossotolejeunea grossiretis* Steph. 1896
 Origin: Brazil.
 Ref.: Reiner-Drehwald & Goda 2000: 27; Reiner-Drehwald 2003: 160.

Lejeunea grossitexta (Steph.) E.Reiner & Goda (J. Hattori Bot. Lab. 89: 29. 2000)
 Bas.: *Crossotolejeunea grossitexta* Steph. 1913
 Origin: Brazil.
 Ref.: Reiner-Drehwald 2000 a: 94; Reiner-Drehwald & Goda 2000: 29; Reiner-Drehwald 2003: 160.

Lejeunea guianensis Nees & Mont. 1840 → ***Ceratolejeunea guianensis*** (Nees & Mont.) Steph. 1913
 Origin: French Guiana.
 Ref.: Dauphin 2003 a: 61.

Lejeunea haeckeriana Gottsche & Lindenb. 1845 → ***Ceratolejeunea cornuta*** (Lindenb.) Steph. 1895
 Origin: Peru.
 Ref.: Dauphin 2003 a: 42.

Lejeunea holostipa Spruce 1884 → ***Cheilolejeunea holostipa*** (Spruce) Grolle & R.-L. Zhu (Taxon 50: 1071. 2001)
 Origin: Brazil.
 Ref.: Gradstein & Costa 2003: 127; Grolle et al. 2001: 1071.

Lejeunea hylophila Spruce 1884 → ***Ceratolejeunea cornuta*** (Lindenb.) Steph. 1895
 Origin: Brazil.
 Ref.: Dauphin 2003 a: 42.

Lejeunea hylophila var. *subdenticulata* Spruce 1884 → ***Ceratolejeunea cornuta*** (Lindenb.) Steph. 1895
 Origin: Brazil.
 Ref.: Dauphin 2003 a: 42.

Lejeunea inflexiloba J.B.Jack & Steph. 1892
 Origin: Colombia.
 Ref.: Reiner-Drehwald & Goda 2000: 32.

Lejeunea intricata J.B.Jack & Steph. 1892
 Origin: Colombia.
 Ref.: Reiner-Drehwald & Goda 2000: 33.

Lejeunea involvens Nees & Mont. 1840 → ***Ceratolejeunea cornuta*** (Lindenb.) Steph. 1895
 Origin: French Guiana.
 Ref.: Dauphin 2003 a: 42.

Lejeunea kegelii Lindenb. & Gottsche 1852 → ***Ceratolejeunea coarina*** (Gottsche) Schiffn. 1893
 Origin: Surinam.

Ref.: Dauphin 2003 a: 37.

Lejeunea laeta (Lehm. & Lindenb.) Gottsche, Lindenb. & Nees 1845

Origin: Brazil.

Ref.: Reiner-Drehwald 2003: 160.

Lejeunea laete-fusca Aust. 1876 → ***Ceratolejeunea laete-fusca*** (Aust.) R.M.Schust. 1956

Origin: U.S.A.

Ref.: Dauphin 2003 a: 61.

Lejeunea laetevirens Nees & Mont. 1842

Origin: Cuba.

Ref.: Reiner-Drehwald 2000 a: 96; Reiner-Drehwald 2003: 160.

Lejeunea lepida Lindenb. & Gottsche 1847

Origin: Mexico.

Ref.: Reiner-Drehwald 2000 a: 98; Reiner-Drehwald 2003: 160.

Lejeunea lignicola Ångstr 1877 → ***Xylolejeunea crenata*** (Nees & Mont.) X.-L.He & Grolle 2001

Origin: Brazil.

Ref.: He & Grolle 2001: 36; Reiner-Drehwald & Goda 2000: 50.

Lejeunea lignicola Spruce 1888 (nom. inval.), 1890 (nom. illeg.) → ***Lejeunea grossitexta*** (Steph.) E.Reiner & Goda 2000

Origin : Brazil.

Ref.: Reiner-Drehwald & Goda 2000: 29.

Lejeunea longicornis Gottsche 1845 → ***Ceratolejeunea filaria*** (Taylor ex Lehm.) Steph. 1913

Origin: Lesser Antilles: St. Kitts.

Ref.: Dauphin 2003 a: 59.

Lejeunea malleigera Spruce 1890 → ***Ceratolejeunea malleigera*** (Spruce) Steph. 1913

Origin: Bolivia.

Ref.: Dauphin 2003 a: 66.

Lejeunea maritima Spruce 1884 → ***Ceratolejeunea cornuta*** (Lindenb.) Steph. 1895

Origin: Brazil.

Ref.: Dauphin 2003 a: 44.

Lejeunea martiana Gottsche 1845 → ***Ceratolejeunea cornuta*** (Lindenb.) Steph. 1895

Origin: Brazil.

Ref.: Dauphin 2003 a: 42.

Lejeunea matteola Spruce 1884 → ***Lejeunea anomala*** Lindenb. & Gottsche 1852

Origin: Brazil.

Ref.: Reiner-Drehwald 2003: 156.

Lejeunea megalophysa Spruce 1884 → ***Ceratolejeunea cornuta*** (Lindenb.) Steph. 1895

Origin: Brazil.

Ref.: Dauphin 2003 a: 44.

Lejeunea microrhegma Spruce 1884 → ***Ceratolejeunea cornuta*** (Lindenb.) Steph. 1895

Origin: Ecuador.

Ref.: Dauphin 2003 a: 44.

Lejeunea miradorensis Steph. 1890 → ***Ceratolejeunea cornuta*** (Lindenb.) Steph. 1895

Origin: Mexico.

Ref.: Dauphin 2003 a: 44.

Lejeunea monimiae (Steph.) Steph.

Origin: Brazil.

Ref.: Reiner-Drehwald 2000 a: 101; Reiner-Drehwald 2003: 160.

Lejeunea monticola Spruce 1884 → ***Ceratolejeunea coarina*** (Gottsche) Schiffn. 1893

Origin: Peru.

Ref.: Dauphin 2003 a: 37.

Lejeunea multidentata E.Reiner & Mustelier (Journal of Bryology 26: 103. 2004)

Origin: Cuba.

Ref.: Reiner-Drehwald & Mustelier 2004: 103.

Lejeunea natans (Steph.) Grolle 1985 → ***Bromeliophila natans*** (Steph.)

R.M.Schust. 1994

Origin: Brazil.

Ref.: Gradstein & Costa 2003: 117.

Lejeunea obtusangula Spruce 1884 → ***Taxilejeunea obtusangula*** (Spruce) A.Evans 1911

Origin: Brazil.

Ref.: Reiner-Drehwald 2000 a: 123.

Lejeunea pandurantha Spruce 1884 → ***Xylolejeunea crenata*** (Nees & Mont.) X.-L.He & Grolle 2001

Origin: Brazil.

Ref.: He & Grolle 2001: 36.

Lejeunea patentissima Hampe & Gottsche 1853 → ***Ceratolejeunea patentissima*** (Hampe & Gottsche) A.Evans 1905

Origin: Puerto Rico.

Ref.: Dauphin 2003 a: 71.

Lejeunea paucidentata (Steph.) Grolle 1991

Origin: Cuba.

Ref.: Reiner-Drehwald & Goda 2000: 37.

Lejeunea paucispina Spruce 1884 → ***Lejeunea controversa*** Gottsche 1873

Origin: Brazil.

Ref.: Reiner-Drehwald & Goda 2000: 15.

Lejeunea paucispina var. *rufescens* Spruce 1884 → ***Lejeunea controversa***
Gottsche 1873

Origin: Ecuador.

Ref.: Reiner-Drehwald & Goda 2000: 15.

Lejeunea pellucidissima Spruce 1884 → ***Xylolejeunea crenata*** (Nees & Mont.) X.-
L.He & Grolle 2001

Origin: Venezuela.

Ref.: He & Grolle 2001: 36.

Lejeunea phyllobola Nees & Mont. 1842

Origin: Cuba.

Ref.: Reiner-Drehwald 2000 a: 103; Reiner-Drehwald 2003: 160.

Lejeunea platyceras Spruce 1884 → ***Ceratolejeunea spinosa*** (Gottsche) Schiffn.
1897

Origin: Ecuador.

Ref.: Dauphin 2003 a: 77.

Lejeunea plumula Spruce 1884 → ***Ceratolejeunea coarina*** (Gottsche) Schiffn. 1893

Origin: Brazil.

Ref.: Dauphin 2003 a: 37.

Lejeunea poeppigiana (Nees) Steph. 1890 → ***Ceratolejeunea ceratantha*** (Nees &
Mont.) Schiffn. 1897

Origin: Brazil.

Ref.: Dauphin 2003 a: 35.

Lejeunea polyantha Mont. 1856 → ***Neopotamolejeunea polyantha*** (Mont.) E.Reiner
2000

Origin: Brazil.

Ref.: Reiner-Drehwald 2000 b: 455.

Lejeunea polycephala Spruce 1890 → ***Lejeunea phyllobola*** Nees & Mont. 1842

Origin: Paraguay.

Ref.: Reiner-Drehwald 2000 a: 103.

Lejeunea polystachya Spruce 1884 → ***Trachylejeunea polystachya*** (Spruce)
Steph. 1913

Origin: Brazil.

Ref.: Reiner-Drehwald 2000 b: 458; He 2003: 194.

Lejeunea prionocalyx Gottsche ex Schiffn. 1897, nom. inval. → ***Lejeunea elliottii***
Spruce 1895

Origin: Cuba.

Ref.: Reiner-Drehwald & Goda 2000: 23.

Lejeunea ptosimophylla C.Massal. 1881

Origin: Argentina.

Ref.: Reiner-Drehwald 2000 a: 107.

Lejeunea puiggariana Steph. 1915

Origin: Brazil.

Ref.: Reiner-Drehwald 2000 a: 110; Reiner-Drehwald 2003: 160.

Lejeunea pyriformis Steph. 1890, nom. illeg. → ***Ceratolejeunea cubensis*** (Mont.)

Schiffn. 1893

Origin: Mexico.

Ref.: Dauphin 2003 a: 49.

Lejeunea quinqueumbonata Spruce 1884

Origin: Brazil.

Ref.: Reiner-Drehwald 2000 a: 112; Reiner-Drehwald 2003: 162.

Lejeunea raddiana Lindenb. 1845

Origin: Brazil.

Ref.: Reiner-Drehwald & Goda 2000: 42; Reiner-Drehwald 2003: 162.

Lejeunea reflexistipula (Lehm. & Lindenb.) Gottsche, Lindenb. & Nees 1845 →

Amphilejeunea reflexistipula (Lehm. & Lindenb.) Gradst. (Mem. New York Bot. Gard. 86: 143. 2001)

Origin: Brazil.

Ref.: Gradstein & Costa 2003: 107.

Lejeunea riparia Spruce 1884, nom. illeg. → ***Trachylejeunea riparia*** (Steph.)

E.Reiner 2000

Origin: Brazil.

Ref.: Reiner-Drehwald 2000 b: 460; He 2003: 192 (as synonym of *Trachylejeunea aneogyna*)

Lejeunea rufo-pellucida Spruce 1884 → ***Ceratolejeunea cornuta*** (Lindenb.) Steph. 1895

Origin: Venezuela.

Ref.: Dauphin 2003 a: 44.

Lejeunea scaberula Spruce 1884 → ***Prionolejeunea scaberula*** (Spruce) Steph. 1913

Origin: Brazil.

Ref.: Dauphin 2003 a: 81.

Lejeunea schizotis Spruce 1884

Origin: Brazil.

Ref.: Reiner-Drehwald 2003: 162.

Lejeunea setiloba Spruce 1884

Origin: Brazil.

Ref.: Reiner-Drehwald 2000 a: 115; Reiner-Drehwald 2003: 162.

Lejeunea setiloba fo. *Intermedia* Herzog 1952

Origin: Argentina.

Ref.: Reiner-Drehwald 2000: 118.

Lejeunea spiniloba Lindenb. & Gottsche 1847

Origin: Mexico.

Ref.: Reiner-Drehwald 2003: 162.

Lejeunea spinosa Gottsche 1845 → ***Ceratolejeunea spinosa*** (Gottsche) Schiffn. 1897

Origin: Lesser Antilles: St. Kitts.

Ref.: Dauphin 2003 a: 77.

Lejeunea splitgerberiana Mont. 1841 → ***Ceratolejeunea cornuta*** (Lindenb.) Steph. 1895

Origin: Surinam.

Ref.: Dauphin 2003 a: 42.

Lejeunea symphoreta Spruce 1890 → ***Lejeunea flava*** (Sw.) Nees 1838

Origin: Brazil.

Ref.: Reiner-Drehwald 2000 a: 88.

Lejeunea surinamensis Hampe ex Lehm. 1838 → ***Lejeunea boryana*** Mont. 1838

Origin: Surinam.

Ref.: Reiner-Drehwald & Goda 2000: 11.

Lejeunea szyszyłowiczii Loitl. 1894 → ***Ceratolejeunea szyszyłowiczii*** (Loitl.) Steph. 1913

Origin: Peru.

Ref.: Dauphin 2003 a: 29.

Lejeunea tapajosensis Spruce 1884

Origin: Brazil.

Ref.: Reiner-Drehwald 2000 a: 118; Reiner-Drehwald 2003: 162.

Lejeunea temnantha Spruce 1884 → ***Ceratolejeunea*** sp.

Origin: Brazil.

Ref.: Reiner-Drehwald 2000 b: 462; Dauphin 2003 b : 122. (not included in Dauphin 2003 a)

Lejeunea tenera (Sw.) Gottsche, Lindenb. & Nees 1845 → ***Neopotamolejeunea tenera*** (Sw.) E.Reiner 2000

Origin: Jamaica.

Ref.: Reiner-Drehwald 2000 b: 456.

Lejeunea tenuistipula Lindenb. & Gottsche 1847 → ***Xylolejeunea crenata*** (Nees & Mont.) X.-L.He & Grolle 2001

Origin: Mexico.

Ref.: He & Grolle 2001: 36; Reiner-Drehwald & Goda 2000: 50.

Lejeunea terricola Spruce 1890 → ***Taxilejeunea terricola*** (Spruce) Steph. 1914
Origin: Paraguay.
Ref.: Reiner-Drehwald 2000 a: 127.

Lejeunea trinitensis Lindenb. 1845
Origin: Trinidad
Ref.: Reiner-Drehwald 2000 a: 120; Reiner-Drehwald 2003: 162.

Lejeunea variabilis var. *saproxylophila* Spruce 1884 → ***Ceratolejeunea cornuta***
(Lindenb.) Steph. 1895
Origin: Brazil.
Ref.: Dauphin 2003 a: 42.

Lejeunea variabilis var. *subserrata* Spruce 1884 → ***Ceratolejeunea cornuta***
(Lindenb.) Steph. 1895
Origin: Brazil.
Ref.: Dauphin 2003 a: 42.

Lejeunea weigeltii Lindenb. 1845 → ***Xylolejeunea crenata*** (Nees & Mont.) X.-L.He &
Grolle 2001
Origin: Surinam.
Ref.: He & Grolle 2001: 36.

AFRICA

Lejeunea caespitosa Lindenb. 1845
Origin: South Africa.
Ref.: Reiner-Drehwald 2003: 157.

Lejeunea capensis Gottsche 1845
Origin: South Africa.
Ref.: Reiner-Drehwald 2003: 158.

LITERATURE CITED

Dauphin, G. (2003 a). *Ceratolejeunea*. Flora Neotropica Monograph 90: 1-87.

Dauphin, G. (2003 b). *Ceratolejeunea*. Pages 119-122. In: Gradstein, S. R. & D. Pinheiro da Costa. The Hepaticae and Anthocerotae of Brazil. Memoirs of the New York Botanical Garden 87:1-318.

Geissler, P. & H. Bischler (eds.) (1987). Index Hepaticarum, vol. 8/9, second ed. Cramer, Berlin.

Gradstein, S. R. & D. Pinheiro da Costa. (2003). The Hepaticae and Anthocerotae of Brazil. Memoirs of the New York Botanical Garden 87: 1-318.

Grolle, R. (1995). The Hepaticae and Anthocerotae of the East African Islands. An Annotated Catalogue. Bryophytorum Bibliotheca 48: 1-178.

Grolle, R. & D. G. Long. (2000). An annotated check-list of the Hepaticae and Anthocerotae of Europe and Macaronesia. Journal of Bryology 22: 103-140.

Grolle, R., R.-L. Zhu & S. R. Gradstein (2001). On *Cyrtolejeunea* A. Evans (Lejeuneaceae, Hepaticae). Taxon 50 : 1067-1074.

He, X.-L. (2003). *Trachylejeunea*, *Xylolejeunea*. Pages 192-194, 196. In: Gradstein, S. R. & D. Pinheiro da Costa. The Hepaticae and Anthocerotae of Brazil. Memoirs of the New York Botanical Garden 87: 1-318.

He, X.-L. & R. Grolle. (2001). *Xylolejeunea*, a new genus of the Lejeuneaceae (Hepaticae) from the Neotropics, Madagascar and the Seychelles. Annales Bot. Fennici 38: 25-44.

Reiner-Drehwald, M. E. (1999). Catalogue of the genus *Lejeunea* Lib. (Hepaticae) of Latin America. Bryophytorum Bibliotheca 54: 1-101.

Reiner-Drehwald, M. E. (2000 a). Las Lejeuneaceae (Hepaticae) de Misiones, Argentina. VI. *Lejeunea* y *Taxilejeunea*. Tropical Bryology 19: 81-131.

Reiner-Drehwald, M. E. (2000 b). On *Potamolejeunea* and *Neopotamolejeunea* gen. nov. (Lejeuneaceae, Hepaticae). Nova Hedwigia 71: 447-464.

Reiner-Drehwald, M. E. (2003). *Lejeunea*. Pages 155-163. In: Gradstein, S. R. & D. Pinheiro da Costa. The Hepaticae and Anthocerotae of Brazil. Memoirs of the New York Botanical Garden 87: 1-318.

Reiner-Drehwald, M. E. & A. Goda. (2000). Revision of the genus *Crossotolejeunea* (Lejeuneaceae, Hepaticae). Journal of the Hattori Botanical Laboratory 89: 1-54.

Reiner-Drehwald, M. E. & K. Mustelier Martínez. (2004). On *Lejeunea multidentata*, a new species from Cuba (Jungermannioptida: Lejeuneaceae). Journal of Bryology 26: 103-106.

Wigginton, M. J. (2002). Checklist and distribution of the liverworts and hornworts of sub-Saharan Africa, including the East African Islands. Tropical Bryology Research Reports 3: 1-88.

Wigginton, M. J. & R. Grolle, supplemented by A. Gyarmati (1996). Catalogue of the Hepaticae and Anthocerotae of Sub-Saharan Africa. Bryophytorum Bibliotheca 50: 1-267.

Zhu, R.-L. & M. E. Reiner-Drehwald. (2004). *Lejeunea boliviensis*, a remarkable species with bizarre underleaves and eplicate perianths. The Bryologist 107: 237-241